

Nitrogen (N) Use SEASON 2020/2021

Kg N applied /ha effective=		Kg N/ha																										
Kg N applied effluent area=		Kg N/ha																										
Kg N applied non-effluent area=		Kg N/ha																										
Rate N/ha per application	<table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th style="width: 10%;"></th> <th style="width: 8%;">Jun</th> <th style="width: 8%;">Jul</th> <th style="width: 8%;">Aug</th> <th style="width: 8%;">Sep</th> <th style="width: 8%;">Oct</th> <th style="width: 8%;">Nov</th> <th style="width: 8%;">Dec</th> <th style="width: 8%;">Jan</th> <th style="width: 8%;">Feb</th> <th style="width: 8%;">Mar</th> <th style="width: 8%;">Apr</th> <th style="width: 8%;">May</th> </tr> </thead> <tbody> <tr> <td style="padding: 5px;">Kg/ha</td> <td></td> </tr> </tbody> </table>		Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Kg/ha													
	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May																
Kg/ha																												
When applied? <i>e.g. behind the cows?</i> <i>Once a month? Twice a month?</i> <i>Once/twice a week?</i>																												
Type of Fertiliser (<i>liquid/granular, coated Urea</i>)																												
Any variable application between paddocks/areas of the farm or within paddocks? <i>Avoid front paddocks?</i> <i>Avoid around troughs?</i> <i>Lower applications high clover % paddocks?</i>																												
Effluent Management: <i>% farm area?</i> <i>N loading effluent?</i> <i>Consistent effluent applications same paddocks?</i> <i>Lower N fertiliser to effluent?</i>																												
Any other relevant comments:																												

Proposed Nitrogen (N) Use Season 2021/22

Kg N applied /ha effective=		Kg N/ha																										
Kg N applied effluent area=		Kg N/ha																										
Kg N applied non-effluent area=		Kg N/ha																										
Rate N/ha per application	<table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th style="width: 10%;"></th> <th style="width: 8%;">Jun</th> <th style="width: 8%;">Jul</th> <th style="width: 8%;">Aug</th> <th style="width: 8%;">Sep</th> <th style="width: 8%;">Oct</th> <th style="width: 8%;">Nov</th> <th style="width: 8%;">Dec</th> <th style="width: 8%;">Jan</th> <th style="width: 8%;">Feb</th> <th style="width: 8%;">Mar</th> <th style="width: 8%;">Apr</th> <th style="width: 8%;">May</th> </tr> </thead> <tbody> <tr> <td style="padding: 5px;">Kg/ha</td> <td></td> </tr> </tbody> </table>		Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Kg/ha													
	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May																
Kg/ha																												
When applied? e.g. behind the cows? Once a month? Twice a month? Once/twice a week?																												
Type of Fertiliser (liquid/granular, coated Urea)																												
Any variable application between paddocks/areas of the farm or within paddocks? <i>Avoid front paddocks?</i> <i>Avoid around troughs?</i> <i>Lower applications high clover % paddocks?</i>																												
Effluent Management: <i>% farm area?</i> <i>N loading effluent?</i> <i>Consistent effluent applications same paddocks?</i> <i>Lower N fertiliser to effluent?</i>																												
Any other relevant comments:																												

